## Claims:

A copolymer having  $\underline{n}$  blocks used as a component of an elastomeric matrix of a sulphur cross-linkable rubber composition with reduced hysteresis, wherein each of said blocks comprises a diene elastomer having a molar content of units originating from conjugated dienes of greater than 15%, and one or each of said blocks which forms the chain end of said copolymer comprises a polyisoprene, wherein  $\underline{n} = 2$  or 3, wherein:

the number-average molecular weight  $M_{nl}$  of said or each polyisoprene end block is between about 2,500 and 20,000 g/mol;

the number-average molecular weight  $M_{n2}$  of the block of said copolymer which is other than said or each polyisoprene end block is between about 80,000 g/mol and 350,000 g/mol.

- 2. The block copolymer according to Claim 1, wherein the ratio of said molecular weights  $M_{n1}$  /  $M_{n2}$  is between about 5 and 20%.
  - 3. The block copolymer according to Claim 1, wherein n=2.
  - 4. The block copolymer according to Claim 1, wherein n=3.
- 5. The block copolymer according to Claim 1, wherein said block which is other than said or each polyisoprene end block comprises a function capable of interacting with a reinforcing filler.
- 6. The block copolymer according to Claim 5, wherein said function is capable of interacting with silica.

- 7. The block copolymer according to Claim 6, wherein said function comprises a silanol group.
- 8. The block copolymer according to Claim 6, wherein said function comprises a mono-, di- or trialkoxysilane group.
- 9. The block copolymer according to Claim 5, wherein said function is capable of interacting with carbon black.
- 10. The block copolymer according to Claim 9, wherein said function comprises a C-Sn bond.
- 11. The block copolymer according to Claim 10, wherein said function is obtained by reaction with a mono-, di-, tri- or tetrahalotin agent.
- 12. The block copolymer according to Claim 9, wherein said function comprises an amine group.
- 13. The block copolymer according to Claim 1, wherein said block which is other than said or each polyisoprene end block is a polybutadiene.
- 14. The block copolymer according to Claim 1, wherein said block which is other than said or each polyisoprene end block is a copolymer of styrene and butadiene.
- 15. The block copolymer according to Claim 1, wherein said block which is other than said or each polyisoprene end block is a copolymer of styrene and isoprene.

- 16. The block copolymer according to Claim 1, wherein said or each polyisoprene end block has a content of 3,4- and 1,2-vinyl linkages which is substantially between about 1 and 20%.
- 17. The block copolymer according to Claim 13, wherein the polybutadiene block comprises 1,2-linkage content which is between about 10% and 60%.
- 18. The block copolymer according to Claim 14, wherein the styrene and butadiene copolymer block contents comprises 1,2-linkages and styrene linkages which are between about 10% and 70% and between about 5% and 50%, respectively.
- 19. A cross-linkable or cross-linked rubber composition comprising an elastomeric matrix, said composition being suitable to exhibit reduced hysteresis in the cross-linked state, wherein said elastomeric matrix comprises a block copolymer according to Claim 1.
- 20. The rubber composition according to Claim 19, comprising a reinforcing filler, wherein said block which is other than said or each polyisoprene end block is functionalized, coupled or starred for bonding with said reinforcing filler.
- 21. The rubber composition according to Claim 20, wherein the reinforcing filler comprises a majority proportion of an inorganic reinforcing filler.
- 22. The rubber composition according to Claim 21, wherein the reinforcing filler is silica.

- 23. The rubber composition according to Claim 20, wherein the reinforcing filler comprises a majority proportion of carbon black.
- 24. A tire tread for reducing the rolling resistance of a tire comprising said tire tread, wherein said tire tread comprises a cross-linked rubber composition according to Claim 19.
  - 25. A tire comprising a tread according to claim 24.